

Crane Moveable under Load



Load capacity up to 1000 kg

Height and length adjustable


Moveable side frames

3 models with up to 3.5 m height


■ Made
■ in
■ Germany

Models of Crane Moveable under Load


Model Mini
Item no.: 121000



Model Standard
Item no.: 122000



Model Maxi
Item no.: 123000



We lighten your lifting!

3 Models

The three side frame sizes and the different beam lengths (from 2 m to 8 m) are compatible, so that almost any application can be covered by our modular system.


The crane can be set up within 5 minutes



Application in Bochum

Concrete drilling and sawing work on a building in Bochum.

The Crane Moveable under Load was used for the safe removal of sawed concrete parts weighing up to 950 kg.



Application in shipping

Packing for shipping.

The Crane Moveable under Load was used here as a mobile solution for various tasks in shipping and in the warehouse to move loads up to 750 kg easier.

Beams are available in lengths from 2m to 8m

We manufacture special lengths on request

We also distribute chain hoists in manual and electrical version

The mobile gantry crane at work



Feltes GmbH / Marie-Curie-Straße 9 / 40822 Mettmann / Germany
Tel. + 49 (0) 2104 - 818412- 0 / Fax + 49 (0) 2104 - 818412- 9
info@feltes-gmbh.de / www.feltes-gmbh.de